



### **CHOOSE YOUR BOULEVARD**

Weekend wandering with your motorcycle friends.

Long-distance adventure, just you and the road.

Or simply your best ride to work.

The All-New Suzuki INTRUDER C1500T


motorcycle completes your cruiser experience.

Choose your BOULEVARD.











### SUZUKI FUEL INJECTION POWER

The INTRUDER C1500T cruiser is equipped with Suzuki's advanced fuel-injection system with Suzuki Dual Throttle Valve (SDTV) induction system. Power activation begins with the rider's throttle input, and is enhanced by the 32-bit engine control unit that instantly delivers the optimum fuel-air mixture and power output. The system – it's the same design as used in Suzuki's championshipwinning GSX-R sportbikes – delivers seamless throttle response while boosting fuel efficiency and delivering strong torque.

### FOUR-VALVE HEAD SMARTS

On its own, a four-valve cylinder head is a good thing. When you add – like on this 1500cm³ INTRUDER – overhead camshafts and dual spark plugs, you get a great thing. The resulting increase in combustion efficiency delivers several benefits: seamless throttle response, gutsy output in the low-to-mid range, better fuel efficiency, and reduced emissions.





# LIQUID-COOLING COMFORT

The look should be classic, but the performance and comfort must be modern. Liquid cooling helps a high-performance engine maintain its performance edge. It helps keep the rider from overheating, too. The V-Twin uses liquid cooling to deliver strong performance consistently whether your cruise is across town or across the state.

#### **AIR POWER**

A motorcycle engine makes power by pumping air and fuel. To maximize air induction for best power and torque, the C1500T features a unique system that uses three separate aircleaner boxes feeding the engine. Just like the on the INTRUDER M1800R muscle cruiser, this air-induction system increases engine output without sacrificing style or fuel-tank capacity.



# CYLINDER BEAUTY INSIDE

Too many cruiser manufacturers are simply proud of the way their cylinders look on the outside. For this new INTRUDER, the beauty of the V-Twin lies as much on the inside. Each aluminum-alloy cylinder is plated with the Suzuki Composite Electrochemical Material (SCEM), a coating of nickelphosphorous-silicon-carbide that reduces friction and increases heat transfer. The result is increased durability and ring seal. Each piston's upper compression ring and oil control ring are given a chrome-nitride coating to make them harder and smoother to further reduce friction. The beauty runs deep.

## SMOOTH and SIMPLE SHIFTS

To smoothly shift this powerful engine, the clutch features a back-torque limiter with a ramp-and-cam system that is derived from sportbike for race-track use. The system produces smooth downshifts by reducing pressure on the clutch plates under deceleration. Upshifts are made quick and precise because the system increases pressures on the clutch plates when accelerating. The Suzuki Clutch Assist System (SCAS) reduces the force needed to pull in the clutch lever so clutch operation remains light.



#### **SEATING COMFORT and CONTROL**

More than just a comfy perch, the seats - both rider and passenger - on this INTRUDER C1500T are made for long-range comfort and top-notch control. Engineers shaped the seat to allow a rider freedom of movement, not locking them into one position.

The seat shape also accommodates riders of different sizes to reach the Handlebars and footboards in comfort. They thoughtfully chose the seat cushioning for rider and passenger to provide long-distance comfort and support.

### FACTORY BUILT HARD SIDECASE

The C1500T is the first INTRUDER to come from the factory with hard sidecase. The T model's hard saddlebags are made of durable, impact-resistant ABS plastic under stylish covers custom-matched to the seats. They're designed as part of the bike, not as luggage add-ons. Their shape was determined after much testing to provide maximum interior space while not interfering with passenger's feet. Wide-opening covers provide easy entry and enhances the bags' cargo-carrying abilities. Easy to access while on the bike, the bags can be unlocked with the ignition key.

#### WINDSCREEN

The C1500T's windscreen is positioned and designed to provide ample wind protection at freeway speeds. Engineers tested dozens of shapes and mounting angles before finalizing the feature. With subtle INTRUDER styling, the firmly mounted windscreen offers protection without distraction. Wind buffeting is minimized by allowing just the right amount of air to pass above the headlight.





#### **SUPERB SUSPENSION**

This INTRUDER's rear suspension delivers roadsmoothing comfort and control behind classis hardtail style. The link-type rear suspension uses an oil-damped, coil-over shock to produce a smooth, ground-hugging ride. It's tucked into the frame well to help keep the ride low. The traditional front forks soak up road irregularities with ease. Overall, the suspension package is designed to accommodate long touring rides as well as a brief commuter cruise.





#### **SPECIAL BLACK INTRUDER C1500T**

It's as black as the ace of spades. When you ride one, you're the king of the night. The blacked-out C1500T features black engines and pipes, all-black wheels, and fully inked-over details. This C1500T cruiser makes a statement that's as appealing as it is dark and dominant.



### **MULTI-FUNCTION INSTRUMENTATION**


Easy to see atop the fuel tank, the C1500T features a multi-function instrument package highlighted by a large analog speedometer. The package also includes a convenient gear-position indicator and a fuel gauge, along with a clock and a trip meter, plus indicator lights for low fuel, turn signals and more. It delivers a level of instrumentation that is not often found on classically style cruisers.

\*All lights and indications are illuminated in the photo for illustrative purposes. \*US Spec instrument shown.

#### **CONVENIENT TOURING-FRIENDLY FEATURES**

- Well-placed and easy-to-use helmet holder on the rear fender's left side.
- Footboards are standard equipment for comfortable long-range riding.
- The INTRUDER C1500T features a spacious 18-litre fuel tank. Combining the new and larger tank with a new engine delivers long riding range for far fewer fuel stops.
- Shaft drive delivers efficient power delivery.
- Front and rear disc brakes provide solid stopping power.
- The C1500T has lockable storage space behind the left side cover.







SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any Suzuki Genuine Accessories at any time without notice. Some Suzuki Genuine Accessories might not be compatible with local standards or statutory requirements. Please check with your local AUTHORIZED SUZUKI DEALER for details at the time of ordering. Actual colors might differ from those appearing in this catalogue



### **BOULEVARD READY**

The All-New INTRUDER C1500T cruiser delivers a new level of performance – and It's ready to let you choose any road.

A liquid-cooled V-twin engine built with Suzuki-technology delivers outstanding power and torque especially in low-to-mid range.

More power and torque means smooth acceleration essential for highway cruising.

And strong power in the low-to-mid range enables effortless riding through city streets.

Long-range comfort is enhanced by fully integrated hard sidecase and windscreen,
and by multi-function instrumentation.

These winning rides are ready to roll on any boulevard.



#### **SPECIFICATIONS**

		INTRUDER C1500T
Overall length		2,570 mm (101.2 in.)
Overall width		990 mm (39.0 ln.)
Overall height		1,440 mm (56.7 in.)
Wheelbase		1,675 mm (65.9 in.)
Ground clearance		140 mm (5.5 in)
Seat height		720 mm (28.3 ln.)
Curb mass		363 kg (800 lbs)
Engine type		4-stroke, 2-cylinder, Liquid-cooled, SOHC, 54-V-twin
Bore x stroke		96.0 mm x 101.0 mm
Displacement		1462 cm (89.2 cg. m)
Compression ratio		9.5 : 1
Fuel system		Fuel injection
Starter system		Electria
Lubrication system		Wet sump
Transmission		5-speed constant mesh
Primary drive ratio		1.407 (76 / 54)
Final drive ratio		3.137 (20/17 x 32/12)
Suspension	Front	Telescopic, coll spring, oll damped
	Rear	Link type, coil spring, oil damped
Rake/trail		31°10' / 132 mm (5.2 in.)
Brakes	Front	Disc
	Rear	Disc
Tires	Front	130/90R17M/C 65H, tubeless
	Rear	200/60R16M/C 79H, tubeless
gnition		Electronic ignition (Transistorized)
Fuel tank		18.0 L (4.8 US gal.)
Oil capacity (overhaul)		4.0 L

products shown in this catalogue are subject to change by Suzuki at any time without notice, and they may vary depending on local conditions or requirements. Some models are not available in some regions. Each model may be

- Read your Owner's Manual carefully
  - Never ride under the influence of alcohol or other drugs.

SUZUKI MOTOR CORPORATION

www.globalsuzuki.com

